

S4 KIT BRONPOMPEN

4" BRONPOMPEN KLAAR VOOR INSTALLATIE



KIT BRONPOMPEN + ACTIVE DRIVER

OMSCHRIJVING	CODE	PRIJS €	ELEKTR GEG		POMPGEGEVENS																			
			P2 NOMINAAL		AMP	KABEL m	Q=m ³ h	0	0.6	0.9	1.2	1.5	1.8	2.4	3	4.2	5.4	6	7.2	8.4	9.6	10.8		
			kW	HP			Q=l/min	0	10	15	20	25	30	40	50	70	90	100	120	140	160	180		
S4 2/10 0,75HP KIT M230/50 40L + AD M/M 1.1	S60191408A		0.55	0,75	4.5	15	H (m)	67	62	60	58	54	50	40	36									
S4 3/9 0,75HP KIT M230/50 40L + AD M/M 1.1	S60191414A		0.55	0,75	4.5	15		50			47	45	44	40	34	20								
S4 3/13 1HP KIT M230/50 40L + AD M/M 1.1	S60191415A		0.75	1	6.3	30		72			68	66	64	57	50	29								
S4 3/19 1,5HP KIT M230/50 40L + AD M/M 1.1	S60191416A		1.1	1,5	8.5	40		105			100	98	93	86	72	42								
S4 4/9 1HP KIT M230/50 40L + AD M/M 1.1	S60191421A		0.75	1	6.3	15		62					56	53	49	39	25							
S4 4/14 1,5HP KIT M230/50 40L + AD M/M 1.1	S60191422A		1.1	1,5	8.5	30		96					87	82	76	61	39							
S4 4/19 2HP KIT M230/50 40L + AD M/M 1.5	S60191423A		1.5	2	10.8	40		131					118	112	103	82	53							
S4 6/10 1,5HP KIT M230/50 40L + AD M/M 1.5	S60191427A		1.1	1,5	8.5	15		60						55	52	47	42	38	30	20				
S4 6/14 2HP KIT M230/50 40L + AD M/M 1.8	S60191428A		1.5	2	10.8	15		84						78	75	66	59	53	42	28				
S4 8/7 1,5HP KIT M230/50 40L + AD M/M 1.1	S60191431A		1.1	1,5	8.5	15		42							41	39	38	37	34	29	23	16		
S4 8/9 2HP KIT M230/50 40L + AD M/M 1.5	S60191432A		1.5	2	10.8	15		54								52	50	49	48	44	37	29	20	

OMSCHRIJVING	CODE	PRIJS €	ELEKTR GEG		POMPGEGEVENS																					
			P2 NOMINAAL		AMP	KABEL m	Q=m ³ h	0	1.2	1.5	1.8	2.4	3	4.2	5.4	6	7.2	8.4	9.6	10.8	12	14.4	16.8	19.2	21.6	
			kW	HP			Q=l/min	0	20	25	30	40	50	70	90	100	120	140	160	180	200	240	280	320	360	
S4 3/9 1,5HP KIT T400/50 40L + AD T/T 3.0	S60195284A		0.55	0,75	2.2	15	H (m)	50	47	45	44	40	34	20												
S4 3/13 1HP KIT T400/50 40L + AD T/T 3.0	S60195286A		0.75	1	2.6	30		72	68	66	64	57	50	29												
S4 3/19 1,5HP KIT T400/50 40L + AD T/T 3.0	S60193843A		1.1	1,5	3.6	40		105	100	98	93	86	72	42												
S4 4/9 1HP KIT T400/50 40L + AD T/T 3.0	S60195289A		0.75	1	2.6	15		62			56	53	49	39	25											
S4 4/14 1,5HP KIT T400/50 40L + AD T/T 3.0	S60195290A		1.1	1,5	3.6	30		96			87	82	76	61	39											
S4 4/19 2HP KIT T400/50 40L + AD T/T 3.0	S60195292A		1.5	2	4.6	40		131			118	112	103	82	53											
S4 6/10 1,5HP KIT T400/50 40L + AD T/T 3.0	S60190897A		1.1	1,5	8.5	15		60						55	52	47	42	38	30	20						
S4 6/14 2HP KIT T400/50 40L + AD T/T 3.0	S60190898A		1.5	2	10.8	15		84						78	75	66	59	53	42	28						
S4 8/7 1,5HP KIT T400/50 40L + AD T/T 3.0	S60195293A		1.1	1,5	6.2	15		42						41	39	38	37	34	29	23	16					
S4 8/9 2HP KIT T400/50 40L + AD T/T 3.0	S60195294A		1.5	2	4.6	15		54						52	50	49	48	44	37	29	20					
S4 8/15 3HP KIT T400/50 40L + AD T/T 3.0	S60195296A		2.2	3	6	30		90						86	83	81	79	73	62	48	33					
S4 8/21 4HP KIT T400/50 40L + AD T/T 5.5	S60195297A		3	4	7.5	30		130						125	120	117	112	103	86	68	47					
S4 16/12 3HP KIT T400/50 40L + AD T/T 3.0	S60195299A		2.2	3	6	15		55											46	43	39	33	27	19	10	
S4 16/16 4HP KIT T400/50 40L + AD T/T 5.5	S60195300A		3	4	7.5	30		73											61	57	52	44	36	25	13	
S4 16/21 5.5HP KIT T400/50 40L + AD T/T 5.5	S60195301A		4	5,5	9.6	30		96											81	75	68	58	47	33	18	

DOMPELPOMPEN

KIT BRONPOMPEN + ADAC BESTURING

OMSCHRIJVING NIEUW	CODE	PRIJS €	ELEKTR GEG		AMP	KABEL m	POMPGEGEVENS																																		
			P2 NOMINAAL				Q=m ³ /h	0	1.2	1.5	1.8	2.4	3	4.2	5.4	6	7.2	8.4	9.6	10.8	12	14.4	16.8	19.2	21.6																
			kW	HP																						Q=l/min															
							0	20	25	30	40	50	70	90	100	120	140	160	180	200	240	280	320	360																	
S4 3/9 1,5HP KIT T400/50 40L + ADAC T/T 3.0	S60195284SA		0,55	0,75	2.2	15	H (m)	50	47	45	44	40	34	20																											
S4 3/13 1HP KIT T400/50 40L + ADAC T/T 3.0	S60195286SA		0,75	1	2.6	30		72	68	66	64	57	50	29																											
S4 3/19 1,5HP KIT T400/50 40L + ADAC T/T 3.0	S60193843SA		1.1	1,5	3.6	40		105	100	98	93	86	72	42																											
S4 4/9 1HP KIT T400/50 40L + ADAC T/T 3.0	S60195289SA		0,75	1	2.6	15		62				56	53	49	39	25																									
S4 4/14 1.5HP KIT T400/50 40L + ADAC T/T 3.0	S60195290SA		1.1	1,5	3.6	30		96				87	82	76	61	39																									
S4 4/19 2HP KIT T400/50 40L + ADAC T/T 3.0	S60195292SA		1.5	2	4.6	40		131				118	112	103	82	53																									
S4 6/10 1.5HP KIT T400/50 40L + ADAC T/T 3.0	S60195297SA		1.1	1.5	8.5	15		60							55	52	47	42	38	30	20																				
S4 6/14 2HP KIT T400/50 40L + ADAC T/T 3.0	S60195298SA		1.5	2	10.8	15		84							78	75	66	59	53	42	28																				
S4 8/7 1.5HP KIT T400/50 40L + ADAC T/T 3.0	S60195293SA		1.1	1,5	6.2	15		42						41	39	38	37	34	29	23	16																				
S4 8/9 2HP KIT T400/50 40L + ADAC T/T 3.0	S60195294SA		1.5	2	4.6	15		54							52	50	49	48	44	37	29	20																			
S4 8/15 3HP KIT T400/50 40L + ADAC T/T 3.0	S60195296SA		2.2	3	6	30		90							86	83	81	79	73	62	48	33																			
S4 8/21 4HP KIT T400/50 40L + ADAC T/T 3.0	S60195297SA		3	4	7.5	30		130							125	120	117	112	103	86	68	47																			
S4 16/12 3HP KIT T400/50 40L + ADAC T/T 3.0	S60195299SA		2.2	3	6	15		55													46	43	39	33	27	19	10														
S4 16/16 4HP KIT T400/50 40L + ADAC T/T 3.0	S60195300SA		3	4	7.5	30		73													61	57	52	44	36	25	13														
S4 16/21 5.5HP KIT T400/50 40L + ADAC T/T 4.0	S60195301SA		4	5,5	9.6	30		96													81	75	68	58	47	33	18														
S4 16/29 7.5HP KIT T400/50 40L + ADAC T/T 5.5	S60195303SA		5.5	7,5	13.1	30		133													111	104	94	80	65	46	24														

SCHEMA INSTALLATIE



OF



OF



+

